Anti-hnRNP-U / SAF-A antibody, rabbit polyclonal

Product code	70-705
Size	100 µg
Storage	-20 ℃
Concentration	1mg/ml
Buffer	PBS- with 50 % glycerol
Purity	Purified IgG fraction with protein A from rabbit antiserum (70-415).
Immunogen	Recombinant MBT-fused mouse hnRNP-U (aa 614-800).
Isotype	Rabbit IgG
Reactivity	Mouse and rat, and predicted to react with human from the amino acid sequence homology.
Special notes	Purified from rabbit antiserum (70-415)
Application	1. Western blotting (dilution: 1/3,000-1/1,000) 2. Immunocytochemistry (dilution: 1/1,000-1/500) 3. Immunoprecipitation
Background	Heterogeneous nuclear ribonucleoprotein U (hnRNP-U, also known as scaffold attachment factor A, SAF-A) is a nuclear matrix-associated protein that interacts with chromosomal DNA. hnRNP-U specifically binds to scaffold/matrix attachment region of DNA and could thus be involved in higher order chromatin structure. hnRNP-U is also a RNA binding protein and forms complexes with heterogeneous nuclear RNA (hnRNA) and plays an important role in pre-mRNA processing and transport. HnRNP-U is reported to interact with necdin, a growth suppressor that is expressed in terminally differentiated neurons and skeletal muscle cells. It has been shown that hnRNP-U recruits necdin to the nuclear matrix where they form a stable complex. It is suggested that necdin suppresses cell proliferation through its interaction with hnRNP-U in the specific subnuclear structure (ref.2).
Data Link	Swiss-Prot Q8VEK3 (mouse), Q00839 (human)
Related Products	70-415 Anti-hnRNP-U / SAF-A antibody, rabbit serum 74-100 Anti-Necdinantibody, rabbit polyclonal 74-104 Anti-Amyloid Precursor Protein (APP C-terminus) antibody, rabbit serum (AC1)
Please note: All products are FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES. NOT FOR MILITARY USE.	

BioAcademia,Inc. Tel. 81-6-6877-2335 Fax. 81-6-6877-2336 info@bioacademia.co.jp https://www.bioacademia.co.jp/en/

Data Images: 70-705 Anti-hnRNP-U / SAF-A antibody, rabbit polyclonal




Fig.1 Immunoblotting of hnRNP-U with this antibody (ref.2).

Specificity of anti-hnRNP-U antibody, HUT.

Cell lysates were prepared from SAOS-2 cells transfected with pRc/CMV vectors (pRc) or pRc/CMV vectors expressing Myc-tagged hnRNP-U (Myc-UF). Exogenous Myc-tagged hnRNP-U (Myc-U) and endogenous hnRNP-U (U) proteins were detected by immunoblotting with anti-Myc antibody (αMyc) or HUT (αU).

This antibody recognized exogenous Myc-tagged hnRNP-U and endogenous ~120 kDa hnRNP-U proteins in SAOS-2 cells.




Fig.2 Immunocytochemistry using this antibody, HUT (ref.2)

Mouse P19 neurons were labeled with anti-necdin antibody (Ndn) (**a**) or with HUT for hnRNP-U (U) (**c**) in combination with anti-neuronal marker, MAP2, antibody for MAP2 (**b**, **d**). The nuclear matrix was prepared in situ and labeled for necdin (Ndn) (**e**), hnRNP-U (U) (**f**), and a nuclear matrix marker, lamin B (**g**).

Both necdin and hnRNP-U were localized to the nuclei of differentiated neurons, which express the

BioAcademia,Inc. Tel. 81-6-6877-2335 Fax. 81-6-6877-2336 info@bioacademia.co.jp https://www.bioacademia.co.jp/en/

neuronal marker MAP2 (**a**-**d**). Necdin was also distributed in the neuronal cytoplasm (**a**).
The immunocytochemical analysis of in situ extracted nuclear matrix revealed that both necdin and hnRNP-U were concentrated in intranuclear speckles throughout the nucleoplasm (**e**, **f**). Lamin B, a nuclear matrix marker, was localized to the nuclear lamina (**g**). These results suggest that both necdin and hnRNP-U are associated with the nuclear matrix of neurons.




Fig.3 Western blotting assay

1. MCF cell extracts (20μg)
2. PC12 cell extracts (20μg)

The primary antibody 70-415 x1/1000 dilutions
70-705 5μg/ml

References: This antibody was produced and used in ref.2.

1. Kiledjian M and Dreyfuss G (1992) "Primary structure and binding activity of the hnRNP U protein: binding RNA through RGG box." *EMBO J* **11**: 2655-2664 PMID: 1628625
2. Taniura H and Yoshikawa K (2002) "Necdin interacts with the ribonucleoprotein hnRNP U in the nuclear matrix." *J Cell Biochem* **84**:545-555 PMID: 11813259

BioAcademia,Inc. Tel. 81-6-6877-2335 Fax. 81-6-6877-2336 info@bioacademia.co.jp https://www.bioacademia.co.jp/en/